

 **Kawasaki**
'79~'81 Model



**MODEL
RECOGNITION
MANUAL**



Foreword

This Model Recognition Manual has been issued in order to provide the dealers with enough information to distinguish one model from another when a motorcycle is brought to the dealer for troubleshooting or repair. All motorcycles exported from 1978 to 1980 are listed in order of nominal engine displacement and refer to the Model Recognition Manual (P/No. 99930-1001-01) for other models (from 1963 to 1977). Under each engine size, further classification is by model and year. Charts in the rear of the manual give production years and export area information.

1. Photographs

Since the photographs show the standard exported motorcycles, there may be minor difference in appearance between the picture and the actual motorcycle. For example, the motorcycle exported to some countries may have a different handlebar or fender, or may have no turn signal lights, reflectors or seat band.

2. Nicknames

The nickname of the model is given in parentheses. Some models are most often called by the nickname.

3. Model Year

The model year under the model code shows the approximate year of production.

4. Specifications

Major specifications, spark plug type, and tire size are given for the first year of the model, and apply to all the other years unless changes are noted. Refer to the Service Handbooks for further specifications.

5. Color

Color is one of the most effective means of recognizing the model. Colors of the fuel tank and front fender are given for this identification. When ordering the painted parts, be sure to include the color code from the Parts Catalogue.

6. Engine and Frame Numbers

Engine and Frame Numbers along with the prefix will give you positive identification. The " ~ " mark following an engine/frame number indicates that the number shown is the first number used for that model and year (Ex: G4E077300 ~). Zeros at the end of the number show how many digits you can expect to find (Ex: G7E500000).

7. Part Numbers of the Parts Catalogue, Owner's Manual, and Service Manual (Shop Manual)

These part numbers are given so that the correct parts Catalogue or Manual will be used when servicing the motorcycle or ordering the parts. A circled letter ahead of the part number indicates that the catalogue or manual is available in the language of that country as well as in English. The letters stand for the following countries.

(A) Australia, (C) Canada, (D) Indonesia, (E) Europe, (F) France, (G) General export, (L) Lincoln Factory, (N) England, (S) Spain, (T) Thailand, (U) U.S.A., (W) West Germany, (Y) Norway

A Parts Catalogue number followed by an "R" or "S" indicates that it is a revision or supplement, and must be used together with the basic parts catalogue.

8. Remarks

This gives you the features of the model, relationship to other models, or differences in appearance from other similar models.

9. Major Changes

Major changes from the previous year's model are given here for comparison.

Table of Contents

FOREWORD	1		
INDEX	4		
50 ~ 100 cc		101 ~ 250 cc	
AE50-A1	7	KH110-A1	27
AR50-A1	7	KH110-A2	27
KV75-A8	8	KH110-C2	28
KV75-A9	8	KC125-A7	28
AE80-A1	9	KD125-A5	29
AR80-A1	9	KE125-A6	29
KD80-M1	10	KE125-A7	30
KD80-M2	10	KE125-A8	30
KDX80-A1	11	KH125-A3	31
KDX80-A2	11	KH125-A4	31
KDX80-B1	12	KH125-D1	32
KX80-A1,B1	12	KX125-A5	32
KX80-A2,B2	13	KX125-A6	33
KX80-C1,D1	13	KX125-A7	33
KC90-C2	14	KD175-A4	34
KC90-C3	14	KDX175-A1	34
KC90-C4	15	KDX175-A2	35
KM90-A6	15	KDX175-B1	35
KC100-C1	16	KE175-B3	36
KC100-C2	16	KE175-D2	36
KD100-M4	17	KE175-D3	37
KE100-A8	17	KV175-A1	37
KE100-A9	18	(K)Z200-A2	38
KE100-A10	18	Z200-A3	38
KH100-A3	19	Z200-A4	39
KH100-A4	19	KE250-B3	39
KH100-E2	19	KH250-B4	40
KH100-E3	20	KH250-B5	40
KH100-G2	21	KL250-A2	41
KH100-H1	21	KL250-A3	41
KM100-A4	22	KL250-A4	42
KM100-A6	22	KLX250-A1	42
KM100-A7	23	KLX250-A2	43
KV100-A10	23	KLX250-B1	43
KV100-A11	24	KX250-A5	44
KV100-A12	24	KZ250-D1	44
KV100-B5	25	KZ250-D2	45
KV100-B6	25	(K)Z250-G1	45
KV100-B7	26	(K)Z250-G2	46
		Z250-A1	46
		Z250-A2	47
		Z250-A3	47
		Z250-B1	48
		Z250-B2	48
		Z250-C1	49
		Z250-C2	49
		Z250-J1	50
		251 ~ 400 cc	
		KZ305-A1	51
		KZ305-C1	51
		(K)Z400-B2	52
		Z400-B3	52
		Z400-B4	53
		KZ400-H1	53
		Z400-H3	54
		Z400-G1	54
		Z400-G2	55
		Z400-G3	55
		Z400-J1	56
		Z400-J2	56
		401 ~ 650 cc	
		(K)Z440-A1	57
		(K)Z440-A2	57
		KZ440-B1	58
		KZ440-B2	58
		KZ440-D1	59
		KZ440-D2,D3	59
		Z440-C1	60
		Z440-C2	60
		Z500-B1	61
		Z500-B2	61
		Z500-B3	62
		(K)Z550-A1	62
		(K)Z550-A2	63
		(K)Z550-C1	63
		(K)Z550-C2	64
		(K)Z550-D1	64
		Z550-B2	65
		(K)Z650-B3	65
		(K)Z650-C3	66
		Z650-C4	66

index

(K)Z650-D267
 Z650-D367
 Z650-D468
 KZ650-E168
 (K)Z650-F169
 Z650-F269
 KZ650-H170

651 cc ~

(K)Z750-B471
 (K)Z750-E171
 KZ750-E272
 KZ750-G172
 (K)Z750-H173
 (K)Z750-H273
 Z750-D174
 Z750-L174
 KZ1000-A3A75
 Z1000-A375
 Z1000-A475
 Z1000-D276
 (K)Z1000-D376
 (K)Z1000-E177
 (K)Z1000-E277
 (K)Z1000-J178
 (K)Z1000-K178
 KZ1000-M179
 Z1000-H179
 (K)Z1100-A180
 (K)Z1100-B180
 (K)Z1300-A181
 (K)Z1300-A281
 (K)Z1300-A382
 KZ1300-B282

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100
---	---	---	---	---	---	---	---	---	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	-----

Index

MODEL	PAGE	MODEL	PAGE	MODEL	PAGE
AE50-A1	7	KH110-A2	27	KZ250-G2	46
AE80-A1	9	KH110-C2	28	KZ305-A1	51
AR50-A1	7	KH125-A3	31	KZ305-C1	51
AR80-A1	9	KH125-A4	31	KZ400-B2	52
		KH125-D1	32	KZ400-H1	53
KC90-C2	14	KH250-B4	40	KZ440-A1	57
KC90-C3	14	KH250-B5	40	KZ440-A2	57
KC90-C4	15			KZ440-B1	58
KC100-C1	16	KL250-A2	41	KZ440-B2	58
KC100-C2	16	KL250-A3	41	KZ440-D1	59
KC125-A7	28	KL250-A4	42	KZ440-D2,D3	59
		KLX250-A1	42	KZ550-A1	62
KD80-M1	10	KLX250-A2	43	KZ550-A2	63
KD80-M2	10	KLX250-B1	43	KZ550-C1	63
KDX80-A1	11			KZ550-C2	64
KDX80-A2	11	KM90-A6	15	KZ550-D1	64
KDX80-B1	12	KM100-A4	22	KZ650-B3	65
KD100-M4	17	KM100-A6	22	KZ650-C3	66
KD125-A5	29	KM100-A7	23	KZ650-D2	67
KD175-A4	34			KZ650-E1	68
KDX175-A1	34	KV75-A8	8	KZ650-F1	69
KDX175-A2	35	KV75-A9	8	KZ650-H1	70
KDX175-B1	35	KV100-A10	23	KZ750-B4	71
		KV100-A11	24	KZ750-E1	71
KE100-A8	17	KV100-A12	24	KZ750-E2	72
KE100-A9	18	KV100-B5	25	KZ750-G1	72
KE100-A10	18	KV100-B6	25	KZ750-H1	73
KE125-A6	29	KV100-B7	26	KZ750-H2	73
KE125-A7	30	KV175-A1	37	KZ1000-A3A	75
KE125-A8	30			KZ1000-D3	76
KE175-B3	36	KX80-A1,B1	12	KZ1000-E1	77
KE175-D2	36	KX80-A2,B2	13	KZ1000-E2	77
KE175-D3	37	KX80-C1,D1	13	KZ1000-J1	78
KE250-B3	39	KX125-A5	32	KZ1000-K1	78
		KX125-A6	33	KZ1000-M1	79
KH100-A3	19	KX125-A7	33	KZ1100-A1	80
KH100-A4	19	KX250-A5	44	KZ1100-B1	80
KH100-E2	20			KZ1300-A1	81
KH100-E3	20	KZ200-A2	38	KZ1300-A2	81
KH100-G2	21	KZ250-D1	44	KZ1300-A3	82
KH100-H1	21	KZ250-D2	45	KZ1300-B2	82
KH110-A1	27	KZ250-G1	45		
				Z200-A2	38
				Z200-A3	38

MODEL	PAGE	MODEL	PAGE
Z200-A4	39	Z750-H2	73
Z250-A1	46	Z750-L1	74
Z250-A2	47	Z1000-A3	75
Z250-A3	47	Z1000-A4	75
Z250-B1	48	Z1000-D2	76
Z250-B2	48	Z1000-D3	76
Z250-C1	49	Z1000-E1	77
Z250-C2	49	Z1000-E2	77
Z250-G1	45	Z1000-H1	79
Z250-G2	46	Z1000-J1	78
Z250-J1	50	Z1000-K1	78
Z400-B2	52	Z1100-A1	80
Z400-B3	52	Z1100-B1	80
Z400-B4	53	Z1300-A1	81
Z400-G1	54	Z1300-A2	81
Z400-G2	55	Z1300-A3	82
Z400-G3	55		
Z400-H3	54		
Z400-J1	56		
Z400-J2	56		
Z440-A1	57		
Z440-A2	57		
Z440-C1	60		
Z440-C2	60		
Z500-B1	61		
Z500-B2	61		
Z500-B3	62		
Z550-A1	62		
Z550-A2	63		
Z550-B2	65		
Z550-C1	63		
Z550-C2	64		
Z550-D1	64		
Z650-B3	65		
Z650-C3	66		
Z650-C4	66		
Z650-D2	67		
Z650-D3	67		
Z650-D4	68		
Z650-F1	69		
Z650-F2	69		
Z750-B4	71		
Z750-D1	74		
Z750-E1	71		
Z750-H1	73		

①



AE50-A1
1981

50 cc
2-Stroke, 1 Cylinder
Piston Valve
5-Speed, Return Shift
Max. Horsepower:
2.9 HP @ 4,750 rpm
Africa ...
7.2 HP @ 9,000 rpm
Spark Plug: NGK B6ES,
or ND W20ES-U
Tire Size
Front: 2.50-19 4PR
Rear: 3.00-16 4PR
Ⓜ 3.00-16 6PR

Color

Fuel Tank: Lime Green, Brilliant Blue,
Firecracker Red
Front Fender: Same as Fuel Tank
Engine No.: AR050AE000001 ~
Frame No.: AE050A-000001 ~

Parts Catalogue No.: Microfiche
Service Manual No.: 99924-1031-01
Owner's Manual No.: 99922-1110-03
Remarks: 50cc dual purpose model. Uni track
rear suspension, front & rear drum brakes.

②



AR50-A1
1981

50 cc
2-Stroke, 1 Cylinder
Piston Valve
5-Speed Return Shift
Max. Horsepower:
2.9 HP @ 4,500 rpm
Africa ...
7.2 HP @ 9,000 rpm
Spark Plug: NGK B6ES
Tire Size
Front: 2.50-18 4PR
Rear: 2.75-18 4PR
Ⓜ 2.75-18 6PR

Color

Fuel Tank: Lime Green, Firecracker Red
Front Fender: Same as Fuel Tank
Engine No.: AR050AE000001 ~
Frame No.: AR050A-000001 ~
Parts Catalogue No.: Microfiche

Service Manual No.: 99924-1030-01
Owner's Manual No.: 99922-1108-02
Remarks: 50cc Street sports model. Fairing,
uni track rear suspension, front disc brake,
rear drumbrake, cast rims.



3

KV75-A8
1979

75cc
 2-Stroke, 1Cylinder
 Piston Valve
 3-Speed, Return Shift
 Max. Horsepower:
 4.2 HP @6,500 rpm
 Spark Plug: NGK B7HS
 Tire Size
 Front: 3.50-8 2PR
 Rear: 3.50-8 2PR

Color

Fuel Tank: Classic White
 Front Fender: Black
 Engine No.: MTE57686~
 Frame No.: MT-058499~
 Parts Catalogue No.: 99995-123 plus
 99997-638-54S

Service Manual No.: 99963-0009-02 (U.S. Made)
 Owner's Manual No.: 99920-1037-02
 Remarks: Off-road minibike for recreational
 use. Automatic clutch, latched seat, handlebar
 folded when transporting.

4

KV75-A9
1980



Color

Fuel Tank: Chrome Orange
 Front Fender: Black
 Engine No.: MTE62460~
 Frame No.: MT-063253~

Parts Catalogue No.:
 99995-123 plus 99997-638-55S
 Service Manual No.: Same as KV75-A8
 Owner's Manual No.: 99920-1083-01
 Major Changes: Color & Graphic

5



AE80-A1
 1981
 80cc
 2-Stroke, 1 Cylinder
 Piston Valve
 6-Speed, Return Shift
 Max. Horsepower:
 6.3 HP @6,000 rpm
 (N) 9.8 HP @8,500 rpm
 Spark Plug:
 NGK BP7ES, or
 ND W22EP
 (N) NGK BP8ES or
 ND W24EP
 Tire Size
 Front: 2.50-19 4PR
 Rear: 3.00-16 6PR
 (N) 3.00-16 4PR

Color

Fuel Tank: Lime Green, Brilliant Blue,
 Chrome Orange, Firecracker
 Red
 Front Fender: Same as fuel tank
 Engine No.: AR080AE000001~
 Frame No.: AE080A-000001~

Parts Catalogue No.:

(E) 99910-1185-01, (G) 99910-1250-01
 Service Manual No.: 99924-1031-01
 Owner's Manual No.: 99922-1115-01
 Remarks: Same as AE50-A1 except displace-
 ment.

6



AR80-A1
 1981
 80cc
 2-Stroke, 1 Cylinder
 Piston Valve
 6-Speed, Return Shift
 Max. Horsepower:
 6.3 HP @6,000 rpm
 (N) 10 HP @8,000 rpm
 Spark Plug: NGK BP7ES
 (N) NGK BP8ES
 Tire Size
 Front: 2.50-18 4PR
 Rear: 2.75-18 6PR
 (N) 2.75-18 4PR

Color


Fuel Tank: Firecracker Red, Lime
 Green
 Front Fender: Same as fuel tank
 Engine No.: AR080AE000001~
 Frame No.: AR080A-000001~

Parts Catalogue No.:

99910-1182-01 plus 99910-1182-50R
 Service Manual No.: 99924-1030-01
 Owner's Manual No.: 99922-1109-01
 Remarks: Same as AR50-A1 except displace-
 ment.

7

KD80-M1
1980



80 cc
2-Stroke, 1 Cylinder
Rotary Disc Valve
5-speed, Return Shift
Max. Horsepower:
6 HP @ 6,500 rpm
Spark Plug: NGK B7HS
Tire Size
Front: 2.50-16 4PR
Rear: 2.75-14 4PR

Color

Fuel Tank: Chrome Orange
Front Fender: Chrome Orange
Engine No.: KD080ME000001 ~
Frame No.: KD080M-000001 ~
Parts Catalogue No.: 99910-1087-02

Service Manual No.: 99924-1012-03
(for reference)

Owner's Manual No.: 99920-1084-01

Remarks: Mini off-road playbike for young riders. Box section swing arm, knobby tires.

8

KD80-M2
1981



Color

Fuel Tank: Brilliant Blue, Firecracker Red
Front Fender: Same as Fuel Tank
Engine No.: KD080ME005501 ~
Frame No.: KD080M-005501 ~,
JKAKDWM17BA007554 ~

Parts Catalogue No.: 99910-1087-02
Service Manual No.: 99924-1012-03
(for reference)

Owner's Manual No.: 99920-1121-01

Major Changes: Color

9



KDX80-A1
1980

80 cc
2-Stroke, 1 Cylinder
Piston Reed Valve
5-Speed, Return Shift
Max. Horsepower:
15 HP @ 11,000 rpm
Spark Plug: NGK B8ES
Tire Size
Front: 2.75-16 4PR
Rear: 3.60-14 4 PR

Color

Fuel Tank: Lime Green
Front Fender: Lime Green
Engine No.: DX080AE000001 ~
Frame No.: DX080A-000001 ~
Parts Catalogue No.: 99910-1075-01
plus 99910-1075-50R

Owner's & Service Manual No.: 99920-1086-03
Remarks: Mini off-road model based on KX-80. Leading axle front fork, laydown rear shock.

10



KDX80-A2
1981

Color

Fuel Tank: Lime Green
Front Fender: Lime Green
Engine No.: DX080AE004101 ~
Frame No.: DX080A-004101 ~

Parts Catalogue No.: 99910-1075-01 plus
99910-1075-50R, -51S
Owner's & Service Manual No.: 99920-1086-03
Major Changes: Seat logo painted green.

11

KDX80-B1
1981



80 cc
2-Stroke, 1 Cylinder
Piston Valve
5-Speed, Return Shift
Max. Horsepower:
15 HP @ 11,000 rpm
Spark Plug: NGK B8ES
Tire Size
Front: 2.75-16 4PR
Rear: 3.60-14 4PR

Color

Fuel Tank: Lime Green
Front Fender: Lime Green
Engine No.: DX080BE000001 ~
Frame No.: JKADXWB14BA000001~

Parts Catalogue No.: 99910-1146-01
Owner's & Service Manual No.: 99920-1125-01
Remarks: Mini off-road model based on KX80.
Larger chassis than KDX80A, uni track suspension.

12

KX80-A1, B1
1979



80 cc
2-Stroke, 1 Cylinder
Piston Reed Valve
5-Speed, Return Shift
Max. Horsepower:
15 HP @ 11,000 rpm
Spark Plug: NGK B8HS
Tire Size
Front: 2.75-17 4PR
Rear: 4.10-14 4PR

Color

Fuel Tank: Lime Green
Front Fender: Lime Green
Engine No.: A1... KX080AE000001 ~
B1... KX080BE000001 ~
Frame No.: A1... KX080A-000001 ~
B1... KX080A-006241 ~

Parts Catalogue No.:
A1...99910-1035-02 plus 99910-1035-52R

B1... 99910-1067-02 plus 99910-1067-51R
Owner's & Service Manual No.:
A1... 99920-1038-03
B1... 99922-1045-01
Remarks:
Mini motocrosser.
2-Stroke, 1 Cylinder engine.
CDI System.

13



KX80-A2, B2
1980

Max. Horsepower:
16HP @ 11,500 rpm
Spark Plug: NGK B8ES

Color

Fuel Tank: Lime Green
Front Fender: Lime Green
Engine No.: A2... KX080AE011201 ~
B2... KX080BE001401 ~
Frame No.: A2... KX080A-012501 ~
B2... Continued from A2

Parts Catalogue No.:

A2... 99910-1035-02 plus 99935-1035-51R
B2... 99910-1067-02 plus 99910-1067-50R
Owner's & Service Manual No.: 99920-1085-03

Major Changes:

Marking, power up, longer suspension stroke,
box section swing arm, front fork.

14



KX80-C1, D1
1981

80 cc
2-Stroke, 1 Cylinder
Piston Reed Valve
6-Speed, Return Shift
Max. Horsepower:
19HP @ 11,500 rpm
Spark Plug: NGK B9ES
Tire Size
Front: 2.75-17 4PR
Rear: 4.10-14 4PR

Color

Fuel Tank: Lime Green
Front Fender: Lime Green
Engine No.: C1... KX080CE000001 ~
D1... KX080DE000001 ~
Frame No.: C1... JKAKXWC17BA000001 ~
D1... KX080D-000001 ~

Parts Catalogue No.:

C1... 99910-1147-01 plus 99910-1147-50R
D1... 99910-1177-01 plus 99910-1177-50R
Owner's & Service Manual No.: 99920-1124-01
Remarks: Motocross racer for younger enthusiast.
Air adjustable front fork, uni track, CDI
system.



15

KC90-C2
1979

90 cc
 2-Stroke, 1 Cylinder
 Rotary Disc Valve
 5-Speed, Return Shift
 Max. Horsepower:
 10 HP @ 7,500 rpm
 Spark Plug: NGK B8HS
 Tire Size
 Front: 2.50-18 4PR
 Rear: 2.50-18 4PR

Color

Fuel Tank: Candy Persimmon Red,
 Candy Calm Blue, Metallic Black

Front Fender: Chrome

Engine No.: G8E513301 ~

Frame No.: GF-505601 ~


Parts Catalogue No.:

Ⓒ 99997-636 plus 99997-636-51S

Shop Manual No.: 99995-201 (for reference)

Owner's Manual No.: 99922-1016-01

Remarks: A 90 cc version of the KC100C.



16

KC90-C3
1980

Color

Fuel Tank: Candy Persimmon Red,
 Metallic Black

Front Fender: Chrome

Engine No.: G8E513601 ~

Frame No.: GF-505901 ~

Parts Catalogue No.: Ⓒ 99910-1113-01

Shop Manual No.: 99995-201 (For reference)

Owner's Manual No.:

99922-1075-01, Ⓒ 99923-1013-03

Major Changes: Marking.

17

KC90-C4
1981**Color**

Fuel Tank: Metallic Regal Blue,
Candy Persimmon Red

Front Fender: Chrome

Engine No.: G8E518001 ~

Frame No.: GF-510301 ~

Parts Catalogue No.: Ⓒ 99910-1113-02

Shop Manual No.: 99995-201 (for reference)

Owner's Manual No.: 99922-1136-01

Major Changes: Marking.

18

KM90-A6
1978 ~ 1980

90 cc

2-Stroke, 1 Cylinder

Rotary Disc Valve

5-Speed, Return Shift

Max. Horsepower:
6.6 HP @ 6,500 rpm

Spark Plug: NGK B7HS

Tire Size

Front: 2.50-16 4PR

Rear: 3.00-14 4PR

Color

Fuel Tank: Solid Green, Firecracker Red,
Sunflower Yellow

Front Fender: Same as Fuel Tank

Engine No.: MCE041801 ~

Frame No.: MC-041801 ~

Parts Catalogue No.:

Ⓒ 99997-613 plus 99997-613-54S

Ⓔ 99997-665 plus 99997-665-51S

Shop Manual No.: 99997-702-02


Owner's Manual No.: 99922-1004-01

Remarks: Dual purpose model with complete
lighting system, skidplate & trial universal tires.

19

KC100-C1
1980

100 cc
2-Stroke, 1 Cylinder
Rotary Disc Valve
5-Speed, Return Shift
Max. Horsepower:
10.5 HP @ 7,500 rpm
Spark Plug: NGK B8ES
Tire Size
Front: 2.50-18 4PR
Rear: 2.50-18 4PR



Color

Fuel Tank: Candy Persimmon Red,
Metallic Black
Front Fender: Chrome
Engine No.: KC100CE000001 ~
Frame No.: KC100C-000001 ~

Parts Catalogue No.: Microfiche
Shop Manual No.: 99995-201 (for reference)
Owner's Manual No.: 99922-1076-02
Remarks: Compact light weight commuter.
Oil injection.

20

KC100-C2
1981



Color

Fuel Tank: Candy Persimmon Red,
Metallic Regal Blue
Front Fender: Chrome
Engine No.: KC100CE003901 ~
Frame No.: KC100C-003901 ~

Parts Catalogue No.: Microfiche
Shop Manual No.: 99995-201 (for reference)
Owner's Manual No.: 99922-1114-01
Major Changes: Color & graphic, side stand.

21



KD100-M4
1979 ~ 1980

100 cc
2-Stroke, 1 Cylinder
Rotary Disc Valve
5-Speed, Return Shift
Max. Horsepower:
8.5 HP @ 6,500 rpm
Spark Plug: NGK B7HS
Tire Size
Front: 2.50-16 4PR
Rear: 2.75-14 4PR

Color

Fuel Tank: Tangerine
Front Fender: Tangerine
Engine No.: KD100ME019101 ~
Frame No.: KD100M-019101 ~

Parts Catalogue No.:

99997-664 plus 99997-664-52S

Shop Manual No.: 99997-702 (for reference)

Owner's Manual No.: 99920-1039-02

Remarks: Off-road model with knobby tires.
For junior riders.

22



KE100-A8
1979

100 cc
2-Stroke, 1 Cylinder
Rotary Disc Valve
5-Speed, Return Shift
Max. Horsepower:
11 HP @ 7,500 rpm
Spark Plug: NGK B8ES
Tire Size
Front: 2.75-19 4PR
Rear: 3.00-18 4PR

Color

Fuel Tank: Solid Green, Sunflower Yellow
Front Fender: Same as Fuel Tank
Engine No.: G5E126001 ~
Frame No.: G5-126001 ~

Parts Catalogue No.:

⓪ 99910-1003-04, Ⓞ 99910-1020-03,
ⓔ 99910-1126-02

Service Manual No.:

⓪ 99924-1011-02, ⓔⓄ 99997-748-05

Owner's Manual No.:

⓪ 99920-1040-02, ⓔⓄ 99922-1022-02

Remarks: Dual purpose model,

Rear fender cover & trial universal tires,
Oil injection.

23

KE100-A9
1980



Color

Fuel Tank: Firecracker Red, Brilliant Blue

Front Fender: Same as Fuel Tank

Engine No.: G5E134801 ~

Frame No.: G5-134101 ~

Parts Catalogue No.:

- Ⓚ 99910-1003-04, ⓔ 99910-1126-02,
- ⓐ 99910-1020-03

Service Manual No.:

- Ⓚ 99924-1011-02, ⓔⓐ 9997-748-05

Owner's Manual No.:

- Ⓚ 99920-1080-02, ⓔⓐ 99922-1078-02

Major Changes: Color & Graphic.

24

KE100-A10
1981



Color

Fuel Tank: Firecracker Red, Brilliant Blue

Front Fender: Same as Fuel Tank

Engine No.: G5E146201 ~

Frame No.: G5-144901 ~,
JKAKETA16BA146431 ~

Parts Catalogue No.:

- Ⓚ 99910-1003-04, ⓔ 99910-1126-02,
- ⓐ 99910-1020-03

Service Manual No.:

- Ⓚ 99924-1011-02, ⓔⓐ 9997-748-05

Owner's Manual No.:

- Ⓚ 99920-1119-02 ⓔⓐ 99922-1105-01

Major Changes: Graphic, rear shock absorbers,
flexible turn signal.

25



KH100-A3 (EL)
1979

100 cc
2-Stroke, 1 Cylinder
Rotary Disc Valve
5-Speed, Return Shift
Max. Horsepower:
12 HP @ 8,000 rpm
Spark Plug: NGK B8ES
Tire Size
Front: 2.50-18 4PR
Rear: 2.75-18 4PR,
Ⓒ 2.75-18 6PR

Color

Fuel Tank: Candy Persimmon Red,
Candy Calm Blue,
Metallic Black

Front Fender: Chrome

Engine No.: G7E627336 ~

Frame No.: G7-577941 ~

Parts Catalogue No.: 99910-1034-01

Service Manual No.: 99924-1004-01

Owner's Manual No.:
99920-1041-04, Ⓒ 99923-1010-01

Remarks: Lightweight commuter.
Horsepower upgraded, oil injection.

26



KH100-A4 (EL)
1980 ~ 1981

Spark Plug: NGK B8ES,
Ⓓ Ⓙ NGK B7ES

Tire Size (1981)

Rear: 2.75-18 4PR,
Ⓒ 2.75-18 6PR

Color

Fuel Tank: Candy Persimmon Red,
Candy Calm Blue,
Metallic Black

Front Fender: Chrome

Engine No.: Continued from 1979

Frame No.: Continued from 1979

Parts Catalogue No.: 99910-1054-02

Service Manual No.: 99924-1004-01

Owner's Manual No.:
99922-1059-06, Ⓒ 99923-1010-02

Major Change: Color & Graphic.

27



KH100-E2 (ES)
1979

100 cc
2-Stroke, 1 Cylinder
Rotary Disc Valve
5-Speed, Return Shift
Max. Horsepower:
12 HP @ 8,000 rpm
Spark Plug: NGK B8ES
Tire Size
Front: 2.50-18 4PR
Rear: 2.75-18 4PR

Color

Fuel Tank: Candy Persimmon Red,
Metallic Black,
Candy Calm Blue
Front Fender: Chrome
Engine No.: Continued from 1977
Frame No.: Continued from 1977

Parts Catalogue No.: 99910-1069-01
Service Manual No.: 99924-1004-01
Owner's Manual No.:
99922-1019-01, (S) 99923-1010-01
Remarks: Very similar to KH100-A3 except
front disc brake & chain cover.

28



KH100-E3 (ES)
1980 ~ 1981

Tire Size
Rear: 2.75-18 4PR,
(Y) 3.00-18 6PR

Color

Fuel Tank: Candy Persimmon Red,
Metallic Black,
Candy Calm Blue
Front Fender: Chrome
Engine No.: Continued from 1977

Frame No.: Continued from 1977
Parts Catalogue No.: 99910-1069-02
Service Manual No.: 99924-1004-01
Owner's Manual No.:
99922-1060-03, (S) 99923-1010-02
Major Changes: Graphic.

29

KH100-G2 (EX)
1981

100 cc
2-Stroke, 1 Cylinder
Rotary Disc Valve
5-Speed, Return Shift
Max. Horsepower:
12 HP @ 8,000 rpm
Spark Plug: NGK B8ES
Tire Size
Front: 2.50-18 4PR
Rear: 2.75-18 4PR



Color

Fuel Tank: Candy Light Green,
Candy Persimmon Red,
Metallic Black
Front Fender: Chrome
Engine No.: KH100DE018801 ~
Frame No.: KH100G-011465 ~
Parts Catalogue No.: 99910-1194-01

Service Manual No.: 99924-1004-01
(for reference)

Owner's Manual No.: 99922-1144-01

Remarks: Light weight commuter,
Cast wheels, front disc brake,
automatic side stand return
mechanism, oil injection.

30

KH100-H1 (ELX)
1981

100 cc
2-Stroke, 1 Cylinder
Rotary Disc Valve
5-Speed, Return Shift
Max. Horse power
13 HP @ 8,500 rpm
Spark Plug: NGK B8ES
Tire Size
Front: 2.50-18 4PR
Rear: 2.75-18 4PR



Color

Fuel Tank: Candy Persimmon Red,
Moondust Silver,
Candy Cobalt Blue
Front Fender: Chrome
Engine No.: G7E674162 ~
Frame No.: KH100H-000001 ~
Parts Catalogue No.: 99910-1209-01

Service Manual No.: 99924-1004-01
(for reference)

Owner's Manual No.: 99922-1117-01

Remarks: Light weight commuter.
Front & rear drum brakes, spoke wheels,
oil injection, Max. horsepower upgraded to 13
HP, full chain case cover.



31


KM100-A4
1979

100 cc
 2-Stroke, 1 Cylinder
 Rotary Disc Valve
 5-Speed, Return Shift
 Max. Horsepower:
 8.5 HP @ 6,500 rpm
 Spark Plug: NGK B7HS
 Tire Size
 Front: 2.50-16 4PR
 Rear: 3.00-14 4PR

Color

Fuel Tank: Firecracker Red,
 Sunflower Yellow
 Front Fender: Same as Fuel Tank
 Engine No.: KM100AE019201 ~
 Frame No.: KM100A-019201 ~
 Parts Catalogue No.:
 U 99910-1026-03, E Microfiche,
 G 99910-1056-03

Service Manual No.: 99924-1012-03
 Owner's Manual No.: U 99920-1042-01,
 E G 99922-1015-01, S 99923-1013-01
 Remarks: Dual purpose model with complete
 lighting system, skid plate, trial universal tires.



32

KM100-A6
1980

Color

Fuel Tank: Firecracker Red,
 Sunflower yellow
 Front Fender: Same as Fuel Tank
 Engine No.: KM100AE024801 ~
 Frame No.: KM100A-024801 ~
 Parts Catalogue No.:
 U 99910-1026-03, E Microfiche,
 G 99910-1056-03

Service Manual No.: 99924-1012-03
 Owner's Manual No.: U 99920-1081-01,
 E G 99922-1066-01, S 99923-1013-03
 Major Changes:
 Graphic, black engine, seat, box section swing
 arm.

33

KM100-A7
1981**Color**

Fuel Tank: Sun Bath Yellow,
Firecracker Red
Front Fender: Same as Fuel Tank
Engine No.: KM100AE029501 ~
Frame No.: KM100A-029501 ~,
JKAKMTA17BA030500 ~

Parts Catalogue No.: G 99910-1056-03
U 99910-1026-03, E Microfiche,

Service Manual No.: 99924-1012-03

Owner's Manual No.:
U 99920-1120-01, E G 99922-1107-01

Major Changes:
Graphic, flexible turn signals.

34

KV100-A10
1979**Color**

Fuel Tank: Sunflower Yellow
Front Fender: Sunflower Yellow
Engine No.: G4E099801 ~
Frame No.: G4-105601 ~
Parts Catalogue No.:
G 99997-619 plus 99997-619-59S

100 cc
2-Stroke, 1 Cylinder
Rotary Disc Valve
5-Speed, Return Shift
Max. Horsepower:
11 HP @ 7,500 rpm
Spark Plug: NGK B7HS
Tire Size
Front: 3.00-18 4PR
Rear: 3.00-18 4PR

Shop Manual No.: 99995-201 (for reference)

Owner's Manual No.: 99922-1020-01

Remarks: Fun trial bike with dual purpose capability. Dual range 5-speed. (10-speed total), full knobby tires, rear carrier.

35

KV100-A11
1980



Color

Fuel Tank: Brilliant Green
Front Fender: Brilliant Green
Engine No.: G4E103701 ~
Frame No.: G4-108101 ~

Parts Catalogue No.: © 99910-1160-01
Shop Manual No.: 99995-201 (for reference)
Owner's Manual No.: 99922-1069-01
Major Changes: Color & Graphic

36

KV100-A12
1981



Color

Fuel Tank: Firecracker Red, Brilliant Blue
Front Fender: Same as Fuel Tank
Engine No.: G4E107501 ~
Frame No.: G4-110001 ~

Parts Catalogue No.: © 99910-1160-01
Shop Manual No.: 99995-201 (for reference)
Owner's Manual No.: 99922-1106-01
Major Changes: Color & graphic, rear shock absorbers, front fender of plastic.



37

KV100-B5
1979

100 cc
2-Stroke, 1 Cylinder
Rotary Disc Valve
5-Speed, Return Shift
Max. Horsepower:
9.5 HP @ 7,000 rpm
Spark Plug: NGK B7HS
Tire Size
Front: 3.00-18 4PR
Rear: 3.00-18 4PR

Color

Fuel Tank: Sunflower Yellow
Front Fender: Sunflower Yellow
Engine No.: G4E099801 ~
Frame No.: G4-105601 ~
Parts Catalogue No.:
99997-619 plus Ⓐ 99997-619-60S

Shop Manual No.: 99995-201 (for reference)
Owner's Manual No.:
99922-1021-01, Ⓔ 99923-1011-01
Remarks: Farm/trail bike with dual purpose
capability. Dual range 5-speed. (10-speed total)
Full knobby tires, large rear carrier.

38

KV100-B6
1980**Color**

Fuel Tank: Sunflower Yellow
Front Fender: Sunflower Yellow
Engine No.: G4E103701 ~
Frame No.: G4-108101 ~

Parts Catalogue No.: Ⓒ 99910-1095-01
Shop Manual No.: 99995-201 (for reference)
Owner's Manual No.: 99922-1063-02
Major Changes: Graphic.

39

KV100-B7
1981



Max. Horse Power:
10 HP @ 7,000 rpm
New Zealand ...
11HP @ 7,500 rpm

Tire Size
Front: 2.75-19 4PR
Rear: 3.00-17 4PR

Color

Fuel Tank: Firecracker Red
Front Fender: Firecracker Red
Engine No.: G4E107501 ~
Frame No.: G4-110001
Parts Catalogue No.: © 99910-1176-01

Shop Manual No.: 99995-201 (for reference)
Owner's Manual No.: 99922-1131-01
Major Changes:
Color & graphic, rear shock absorbers, front
fender of plastic.